

【歯周病に関するもの】

(主訴) 歯ぐきから血が出る 歯の間に物がつまる

(病名)  $\frac{7-31}{7653} | \frac{13-7}{3567} P$

月日	部 位	療 法 ・ 処 置	点 数	負担金 徴収金	コメント																																																																																					
7/5	—   —	か初診	270																																																																																							
	—   —	所見：左右上下臼歯部に腫脹が認められる。																																																																																								
	—   —	「かかりつけ歯科医」説明後 同意																																																																																								
	—   —	治療計画書にて情報提供																																																																																								
	$\frac{7-31}{7653}   \frac{13-7}{3567}$	X-ray パノラマ(オルソ)	318																																																																																							
	—   —	歯周疾患による全顎的骨吸収 歯周基本検査(20 歯以上)	200																																																																																							
	—   —	大臼歯部の補綴物の辺縁隆線に段差あり																																																																																								
		<table border="1" style="width: 100%; text-align: center;"> <caption>歯周基本検査</caption> <tbody> <tr> <td>歯周度</td> <td>—</td><td>2</td><td>2</td><td>1</td><td>2</td><td>0</td><td>—</td><td>0</td><td>0</td><td>—</td><td>0</td><td>0</td><td>1</td><td>2</td><td>2</td><td>—</td> </tr> <tr> <td>BPP</td> <td>—</td><td>5</td><td>5</td><td>4</td><td>4</td><td>3</td><td>—</td><td>2</td><td>2</td><td>—</td><td>2</td><td>4</td><td>4</td><td>5</td><td>5</td><td>—</td> </tr> <tr> <td><b>BI</b></td> <td><b>8</b></td><td><b>7</b></td><td><b>6</b></td><td><b>5</b></td><td><b>4</b></td><td><b>3</b></td><td><b>2</b></td><td><b>1</b></td><td><b>1</b></td><td><b>2</b></td><td><b>3</b></td><td><b>4</b></td><td><b>5</b></td><td><b>6</b></td><td><b>7</b></td><td><b>8</b></td> </tr> <tr> <td>BPP</td> <td>—</td><td>5</td><td>5</td><td>4</td><td>—</td><td>2</td><td>2</td><td>2</td><td>2</td><td>2</td><td>—</td><td>4</td><td>5</td><td>5</td><td>—</td><td></td> </tr> <tr> <td>歯周度</td> <td>—</td><td>2</td><td>2</td><td>1</td><td>—</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>—</td><td>1</td><td>1</td><td>2</td><td>—</td><td></td> </tr> </tbody> </table>	歯周度	—	2	2	1	2	0	—	0	0	—	0	0	1	2	2	—	BPP	—	5	5	4	4	3	—	2	2	—	2	4	4	5	5	—	<b>BI</b>	<b>8</b>	<b>7</b>	<b>6</b>	<b>5</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	BPP	—	5	5	4	—	2	2	2	2	2	—	4	5	5	—		歯周度	—	2	2	1	—	0	0	0	0	0	—	1	1	2	—				
歯周度	—	2	2	1	2	0	—	0	0	—	0	0	1	2	2	—																																																																										
BPP	—	5	5	4	4	3	—	2	2	—	2	4	4	5	5	—																																																																										
<b>BI</b>	<b>8</b>	<b>7</b>	<b>6</b>	<b>5</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>																																																																										
BPP	—	5	5	4	—	2	2	2	2	2	—	4	5	5	—																																																																											
歯周度	—	2	2	1	—	0	0	0	0	0	—	1	1	2	—																																																																											
	—   —	P 管理	110																																																																																							
	—   —	歯周疾患の特異性と特徴について指導した																																																																																								
	—   —	歯科衛生実地指導料	80																																																																																							
	—   —	6 5   5 6 7 舌側部にあるプラークの除去																																																																																								
	—   —	染め出しと T B I を指示		978 2930																																																																																						
7/12	—   —	か再診	40																																																																																							
	$\frac{7-31}{7653}   \frac{13-7}{3567}$	スケーリング	60 + 40 × 2	180 540																																																																																						
7/19	—   —	か再診	40																																																																																							
	$\frac{7-31}{7653}   \frac{13-7}{3567}$	スケーリング	60 + 40 × 2																																																																																							
	$\frac{7-31}{7653}   \frac{13-7}{3567}$	P 処 ( J G、 O X )	10																																																																																							
	—   —	歯肉に炎症が見られ、若干の縁下歯石も見られる		190 570																																																																																						



月日	部 位	療 法 ・ 処 置	点 数	負担金 徴収金	コメント																																																																																				
7/26	—   —	か再診	40																																																																																						
	—   —	歯周基本検査(20 歯以上) 1 ヶ月以内	100																																																																																						
	—   —	<b>歯周基本検査</b> <table border="1" style="margin: auto;"> <tr> <td>歯周度</td> <td>—</td><td>2</td><td>2</td><td>1</td><td>1</td><td>0</td><td>—</td><td>0</td><td>0</td><td>—</td><td>0</td><td>0</td><td>1</td><td>2</td><td>2</td><td>—</td> </tr> <tr> <td>EPP</td> <td>—</td><td>4</td><td>4</td><td>4</td><td>4</td><td>3</td><td>—</td><td>2</td><td>2</td><td>—</td><td>2</td><td>4</td><td>4</td><td>4</td><td>5</td><td>—</td> </tr> <tr> <td> 歯周度</td> <td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td><td>1</td><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td> </tr> <tr> <td>EPP</td> <td>—</td><td>4</td><td>4</td><td>4</td><td>—</td><td>2</td><td>2</td><td>2</td><td>2</td><td>2</td><td>3</td><td>—</td><td>4</td><td>4</td><td>5</td><td>—</td> </tr> <tr> <td>歯周度</td> <td>—</td><td>2</td><td>2</td><td>1</td><td>—</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>—</td><td>1</td><td>1</td><td>2</td><td>—</td> </tr> </table>		歯周度	—	2	2	1	1	0	—	0	0	—	0	0	1	2	2	—	EPP	—	4	4	4	4	3	—	2	2	—	2	4	4	4	5	—	歯周度	8	7	6	5	4	3	2	1	1	2	3	4	5	6	7	8	EPP	—	4	4	4	—	2	2	2	2	2	3	—	4	4	5	—	歯周度	—	2	2	1	—	0	0	0	0	0	—	1	1	2	—		
歯周度	—	2	2	1	1	0	—	0	0	—	0	0	1	2	2	—																																																																									
EPP	—	4	4	4	4	3	—	2	2	—	2	4	4	4	5	—																																																																									
歯周度	8	7	6	5	4	3	2	1	1	2	3	4	5	6	7	8																																																																									
EPP	—	4	4	4	—	2	2	2	2	2	3	—	4	4	5	—																																																																									
歯周度	—	2	2	1	—	0	0	0	0	0	—	1	1	2	—																																																																										
	7-31   13-7 7653   3567	P 処 ( J G、 O X )	10																																																																																						
	—   —	診療計画：歯周ポケットが 4 mm 以上の所あり。上下臼歯部に																																																																																							
	—   —	おいて S R P 実施予定。また、下顎前歯の歯肉退縮が著しい																																																																																							
	21   12	Hys 処置 ( 4 歯以上 )	50																																																																																						
	—   —	ソフトレーザーによる知覚過敏処置		200 600																																																																																					
	—   —	7月分 実 4 日 548 点																																																																																							
8/2	—   —	か再診	40																																																																																						
	7-31   13-7 7653   3567	P 管理	110																																																																																						
	—   —	歯間ブラシの使用方法について指導																																																																																							
	—   —	歯科衛生実地指導料	80																																																																																						
	—   —	5 3   や 3 5 の欠損部のプラーク付着状態を指導																																																																																							
	7-31   13-7 3   3567	P 処 ( J G、 O X )	10																																																																																						
	765   —	OA ( コーパロン ) 2 % キシロカイン Ct1.8ml 浸麻																																																																																							
	765   —	スケーリング・ルートプレーニング	60 + 65 × 2	430 1290																																																																																					
8/9	—   —	か再診	40																																																																																						
	7-4   —	OA ( コーパロン ) 2 % キシロカイン Ct1.8ml 浸麻																																																																																							

月日	部 位	療 法 ・ 処 置	点 数	負担金 徴収金	コメント																																																																																																				
	7-4	スケーリング・ルートプレーニング	60×2 +65×2																																																																																																						
	31   13-7 7653   3567	P処(JG、OX)	10	300 900																																																																																																					
8/12		か再診	40																																																																																																						
	567	OA(コーパロン)2%キシロカイン Ct1.8ml 浸麻																																																																																																							
	567	スケーリング・ルートプレーニング	60+ +65×2																																																																																																						
	765	P処(JG、OX)	10	240 720																																																																																																					
8/16		か再診	40																																																																																																						
	4-7	OA(コーパロン)2%キシロカイン Ct1.8ml 浸麻																																																																																																							
	4-7	スケーリング・ルートプレーニング	60×2 65×2																																																																																																						
	7-31   13 7653   3567	P処(JG、OX)	10	300 900																																																																																																					
8/30		か再診	40																																																																																																						
	7-31   13-7 7653   3567	P処(JG、OX)	10																																																																																																						
		SRPの結果 歯周ポケットが3mm以下に減少、改善が																																																																																																							
		認められた																																																																																																							
		歯周基本検査(20歯以上)	200																																																																																																						
		<table border="1"> <thead> <tr> <th colspan="14">歯周基本検査</th> </tr> <tr> <th>動揺性</th> <td>—</td><td>1</td><td>1</td><td>1</td><td>1</td><td>0</td><td>—</td><td>0</td><td>0</td><td>—</td><td>0</td><td>0</td><td>0</td><td>1</td><td>1</td><td>—</td> </tr> <tr> <th>EPP</th> <td>—</td><td>3</td><td>3</td><td>3</td><td>3</td><td>2</td><td>—</td><td>2</td><td>2</td><td>—</td><td>2</td><td>3</td><td>3</td><td>3</td><td>3</td><td>—</td> </tr> <tr> <th><b>I-II</b></th> <td><b>8</b></td><td><b>7</b></td><td><b>6</b></td><td><b>5</b></td><td><b>4</b></td><td><b>3</b></td><td><b>2</b></td><td><b>1</b></td><td><b>1</b></td><td><b>2</b></td><td><b>3</b></td><td><b>4</b></td><td><b>5</b></td><td><b>6</b></td><td><b>7</b></td><td><b>8</b></td> </tr> <tr> <th>EPP</th> <td>—</td><td>3</td><td>3</td><td>3</td><td>—</td><td>2</td><td>2</td><td>2</td><td>2</td><td>2</td><td>—</td><td>3</td><td>3</td><td>3</td><td>—</td><td>—</td> </tr> <tr> <th>動揺度</th> <td>—</td><td>2</td><td>2</td><td>1</td><td>—</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>—</td><td>1</td><td>1</td><td>1</td><td>—</td><td>—</td> </tr> </thead> </table>			歯周基本検査														動揺性	—	1	1	1	1	0	—	0	0	—	0	0	0	1	1	—	EPP	—	3	3	3	3	2	—	2	2	—	2	3	3	3	3	—	<b>I-II</b>	<b>8</b>	<b>7</b>	<b>6</b>	<b>5</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	EPP	—	3	3	3	—	2	2	2	2	2	—	3	3	3	—	—	動揺度	—	2	2	1	—	0	0	0	0	0	—	1	1	1	—	—		
歯周基本検査																																																																																																									
動揺性	—	1	1	1	1	0	—	0	0	—	0	0	0	1	1	—																																																																																									
EPP	—	3	3	3	3	2	—	2	2	—	2	3	3	3	3	—																																																																																									
<b>I-II</b>	<b>8</b>	<b>7</b>	<b>6</b>	<b>5</b>	<b>4</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>																																																																																									
EPP	—	3	3	3	—	2	2	2	2	2	—	3	3	3	—	—																																																																																									
動揺度	—	2	2	1	—	0	0	0	0	0	—	1	1	1	—	—																																																																																									
				250 750																																																																																																					
		8月分 実 5日 1,720 点																																																																																																							